

FEDERAL PUBLIC SERVICE COMMISSION COMPETITIVE EXAMINATION - 2018 FOR RECRUITMENT TO POSTS IN BS-17 UNDER THE FEDERAL GOVERNMENT

COMPUTER SCIENCE, PAPER-I TIME ALLOWED: THREE HOURS PART-I (MCQS) **MAXIMUM MARKS = 20 PART-I(MCOS): MAXIMUM MARKS = 80 MAXIMUM 30 MINUTES PART-II** NOTE: (i) Part-II is to be attempted on the separate Answer Book. Attempt ONLY FOUR questions from PART-II by selecting TWO questions from EACH (ii) SECTION. (iii) All the parts (if any) of each Question must be attempted at one place instead of at different places. (iv) Candidate must write Q. No. in the Answer Book in accordance with Q. No. in the Q.Paper. (v) No Page/Space be left blank between the answers. All the blank pages of Answer Book must be crossed. (vi) Extra attempt of any question or any part of the attempted question will not be considered. PART-II **SECTION-I** (a) How many layers are in the TCP/IP stack? What are the names? **O.** 2. (4) (b) How digital evidences can be preserved from a crime scene. Write in details by taking (4) examples of digital devices commonly used these days. (c) What are the responsibilities of Operating system kernel? (3) (d) List down any four best practices for coding standards. (3) (2) (e) Why do modern processors use more power when their clock frequency is increased? (f) Ali is telling Ahmad that he is representing a -ve number and its most significant bit is 1, (2) Ahmad immediately shouted you are representing numbers using 2's compliment. True or False. And why? (g) If time slice is of 50 milliseconds and context switch requires a microsecond, how many (2) processes can the machine service in a second? (a) Write a program grade average calculator, User will input marks for five subjects and (5) Q. 3. program will output the average of its marks. Print appropriate message on the base of its mark's average e.g.; Well done, Keep it up, Better luck next time etc. (b) Given that i,j,k,n & m are integer variables. Write a condition such that: (2)hello is only printed when, any of the following conditions are met: i is twice ithe value of j, j is smaller than k and less than n, or m is negative. inti,j,k,n,m; cin>>i>>j>>k>>n>>m; if() cout<<"hello";</pre> ii. hello is only printed when i does not lies in the interval 6-9 inti; cin>>i; if(cout<<"hello";</pre> (c) Write equivalent instruction to following instruction without the use of += operator: (1) where w,z are integers. w + = 2 * z + 4;(d) Predict the values of variables a & b after every instruction (2) integer a=5 b=6 a=(b++) + 3;b=-a;Complete the code such that it prompts the user for +ve number n. Then displays the **(e)** (5) output.(whatever the value of n is)(HINT: instead of triangles of stars its triangles of increasing numbers)[marks 1234...n 1 2 3 4 ...-1


12 1

```
for n=4 it will print
1 2 3 4
1 2 3
1 2
1
void main()
{
int n; cin>>n;
// your loops will go here
}
```

(f) In following code replace the character at posth location in the string st with the ,character (5) ch. For example in string helloworld replacing 2nd character with i would result in hilloworld

```
void main( )
{char st[15]; int pos; char ch;
int size=0;
cin>>st;
cin>>pos>>ch;
while(st[size]!='\0')
{
    size++; // calculating length of current string
}
// write your code here
}
```

Q. 4. Consider the inheritance hierarchy shown below. Each part of this question is independent.



- (a) In which class(es) would it make most sense to have protected members? Which class(es) (5) would be able to access those protected members directly?
- (b) Which class(es) can access private members of class C directly?
- (c) Suppose class C contains a pure virtual function. Suppose we wish to instantiate objects of this hierarchy. Which class(es) are or could be abstract and which are concrete?
- (d) Consider the following list of classes: Car, SteeringWheel, Vehicle, Van, Minivan, AudioSystem, ParkingLot. Your task is to describe all of the *is-a* and *has-a* relationships between these classes. Include an inheritance hierarchy for all classes that fit. Fill in the table with *is-a* or *has-a* relationship while leaving the cells empty where no relation is applicable.


	Vehicle	Car	Van	Mini Van	Steering Wheel	Audio System	Parking Lot
Vehicle							
Car	is-a						
Van							
Mini Van							
Steering Wheel							
Audio System							
Parking Lot							

(5)


COMPUTER SCIENCE, PAPER-I

SECTION-II

Q. 5.	(a)	What is dangling pointer?	(3)
	(b)	What data structure would employ to build a text editor and why?	(5)
	(c)	Random insertion of nodes into a binary search tree would result in what types of tree shape. Elaborate.	(7)
	(d)	How would you modify a link list based queue so that first and last node can be accessed in a constant time regardless of data nodes in the queue?	(5)
Q. 6.	(a)	Define balanced tree both for AVL and Binary search tree.	(4)
	(b)	What is informed or heuristic search what type of algorithm is used to do such a search?	(6)
	(c)	Differentiate between graph and trees. Which is special case of the other?	(5)
	(d)	Explain what type of problems can be solved by genetic algorithm.	(5)
Q. 7.	(a)	Outline the difference between software verification and software validation.	(4)
	(b)	Give an outline of the unit testing process for verification.	(4)
	(c)	Agile Development is a process that values responding to change over following a plan. Discuss three issues a Software Engineer should be mindful of when adopting this approach during software development.	(4)
	(d)	What type of project is not suited to incremental methods?	(4)
	(e)	Outline the difference between Black box and White box testing.	(4)
Q. 8.	(a)	What is the difference between lexers and parsers?	(5)
	(b)	Write a grammar (BNF) for the language of palindromes.	(5)
	(c)	Here DFA is given for the language L find the DFA for L^2	(5)
		a a, b	



(d) Convert the following DFA to a RE:



(5)



FEDERAL PUBLIC SERVICE COMMISSION COMPETITIVE EXAMINATION-2018 FOR RECRUITMENT TO POSTS IN BS-17 UNDER THE FEDERAL GOVERNMENT

COMPUTER SCIENCE, PAPER-II

TIME ALI PART-I(M		D: THREE HOURS MAXIMUM 30 MINUTES	PART-I (MCQS) PART-II	MAXIMUM MARKS = MAXIMUM MARKS =	
NOTE: (i)	Part	t-II is to be attempted on the separ	ate Answer Book.		
(ii)		mpt ONLY FOUR questions from		ing TWO questions from EA	ACH
		TION. ALL questions carry EQU		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
(111) All ti place	he parts (if any) of each Question	n must be attempted at	t one place instead of at diffe	erent
(iv	-	lidate must write Q. No. in the Ans	swer Book in accordan	ce with Q. No. in the Q.Paper.	
(v)		Page/Space be left blank between			
		ossed.			
(vi)) Extr	a attempt of any question or any p	part of the attempted qu	estion will not be considered.	
		PA	<u>RT – II</u>		
			<u>TION – A</u>		
Q. No.2.	(A)	Briefly describe the function	ality of the following	ng CPU special-purpose	(8
		registers: Instruction Register	r (IR), Memory Dat	a Register (MDR) and	
	(B)	Program Counter (PC). Differentiate between Address,	Data and Control hus		(
	(D) (C)	Discuss instruction pipelining in		ecode-execute cvcle.	(
	(-)			,	
Q. No.3.	(A)	Differentiate between hub, brid			(
	(\mathbf{B})	Discuss how Network Address	. ,	•	()
	(C)	Elaborate the working of multir	blexing/de-multiplexing	g at the transport layer.	(
Q. No.4.	(A)	There are three processes P_A ,	P_B and P_C and three r	esources R_A , R_B and R_C .	(
		Resources R_A and R_B have of			
		instances. P_A is holding one in			
		P_B is holding R_A and has requered an instance of R_C .			
		graph. Discuss whether there is	-		
		blocked?			
	(B)	In the context of Paging, consid			(
		i.e. 20 bits Virtual Page Number are there and what is the size of			
		find the virtual page number	10		
		contains 0x900DF, find the phy		1 10 2	
	(C)	In the context of I/O manageme	ent, differentiate betwee	en Pooling and Interrupts.	(
		Sect	tion – B		
Q. No.5.	(A)	Given two relations R and S , we have S and S are a spectrum and S and S and S and S are a spectrum and S and S and S are a spectrum and S are a spectrum and S and S are a spectrum and S	where R contains M tu	ples, S contains N tuples,	(8
		and $M > N > 0$, give the minin	-	· · · · · · · · · · · · · · · · · · ·	
		the resulting relation produce	ed by each of the fol	lowing relational algebra	
		expressions. i. $R-S$			
		ii. $R \cup S$			
		iii. $R \cap S$			
		iv. $R \bowtie S$			
	(B)	Elaborate the concepts of su	per key, candidate ke	ey and foreign key with	(
	. ,	examples.			Ň
	(C)	Discuss the difference betwee	n physical data indep	endence and logical data	(

independence.

COMPUTER SCIENCE, PAPER-II

- **Q. No.6.** (A) Differentiate between image sampling and quantization. Discuss how these (8) concepts relate to spatial and intensity resolutions.
 - (B) In the context of image smoothing, discuss the differences between mean and (6) median filters.
 - (C) For the image 'X' shown in Figure 1, show the result of applying the given (6) morphological operators. Assume zero padding for border pixels.
 - i. Dilation of X by structuring element $[1 \ 1 \ 1]_{T}$
 - ii. Erosion of X by structuring element $\begin{bmatrix} 1 & 1 \end{bmatrix}^{T}$
 - iii. Dilation of X by a 3x3 structuring element containing all ones.

0	0	0	0	0	0	0	0
0	1	1	0	0	1	1	0
0	1	1	1	1	1	1	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	1	1	1	1	0	0
0	0	0	0	0	0	0	0


Q. No.7. (A) Perform histogram equalization on the 8-bit image shown in Figure 2.

(8)

(6)

5	5	5	5	5	
10	10	10	10	10	
30	30	30	30	30	
100	100	100	100	100	
100	100	100	100	100	
И.					

(B) For the 3x3 image shown in the following, apply the horizontal and vertical (6) Sobel operators and compute the magnitude of gradient at the central pixel with intensity value 50.



- (C) In the context of compression, differentiate between coding, spatial and (6) temporal redundancies.
- Q. No.8. (A) Elaborate the concept of three tier architecture with reference to presentation, (8) business logic and data access layers.
 - (B) Differentiate between XHTML and XML.
 - (C) Discuss Agile and Water Fall methodologies in the context of web application (6) development.
